

Solving Multi-Step Equations

Solve each equation.

1) $4n - 2n = 4$

2) $-12 = 2 + 5v + 2v$

3) $3 = x + 3 - 5x$

4) $x + 3 - 3 = -6$

5) $-12 = 3 - 2k - 3k$

6) $-1 = -3r + 2r$

7) $6 = -3(x + 2)$

8) $-3(4r - 8) = -36$

9) $24 = 6(-x - 3)$

10) $75 = 3(-6n - 5)$

$$11) -3(1 + 6r) = 14 - r$$

$$12) 6(6v + 6) - 5 = 1 + 6v$$

$$13) -4k + 2(5k - 6) = -3k - 39$$

$$14) -16 + 5n = -7(-6 + 8n) + 3$$

$$15) 10p + 9 - 11 - p = -2(2p + 4) - 3(2p - 2)$$

$$16) -10n + 3(8 + 8n) = -6(n - 4)$$

$$17) 10(x + 3) - (-9x - 4) = x - 5 + 3$$

$$18) 12(2k + 11) = 12(2k + 12)$$

$$19) -12(x - 12) = -9(1 + 7x)$$

$$20) -11 + 10(p + 10) = 4 - 5(2p + 11)$$

Critical thinking question:

21) Explain two ways you could solve $20 = 5(-3 + x)$

Simple Linear Equations (A)

Solve for each variable.

1. $3c + 6 = 18$

6. $2a + 8 = 16$

11. $3a + 1 = 4$

2. $3v + 9 = 15$

7. $3a + 2 = 17$

12. $3u - 8 = 4$

3. $3z + 3 = 27$

8. $2y - 10 = 8$

13. $3y + 3 = 12$

4. $3c + 2 = 2$

9. $3x - 1 = 14$

14. $2c - 2 = 6$

5. $3a - 5 = 7$

10. $2z + 3 = 23$

15. $3c - 4 = 14$